

**THE INSTRUCTION FOR USE**

**Ak55**


**High quality audio amplifier**

**Instructions**

**Before use, please read the instructions detail**


---

## Panel functional specification



- 1.Power switch
- 2.TF card interface
- 3.USB disk interface
- 4.Function display
- 5.BT.Aux.MP3.FM signal input select key
- 6.Upward play buttonkey
- 7.Pause/play key
- 8.Down the play button key
- 9.Music volume contro
- 10.Microphone plug 2
- 11.Microphone plug 1
- 12.MIC volume contro
- 13.Treble adjustment
- 14.bass adjustment
- 15.Karaoke reverberation adjustment
- 16.Microphone delay time adjustment

## After plate functional specification



- 1.Right channel AUX input signal
- 2.The left channel AUX input signal
- 3:Right channel speaker output
- 4:Left channel speaker output
- 5:Power DC 12V/5A input
- 6:The AC power input AC110-240V/50Hz-60Hz
- 7:FM antenna

## \*\*\*\*\* SPECIFICATIONS \*\*\*\*\*

- Speaker impedance 4-16 ohm
- SNR (Signal/Noise Ratio) -80dbn
- Voltage:110V/240V Conversion Dc12V
- Input impedance=47K
- Frequency response:20Hz-20KHz
- Input sensitivity:025mV-220mV

## Remote control function



- 1.Power key
- 2.Repeat key
- 3.Signal input select key
- 4.Press CH-up
- 5.Press CH-a downward
- 6.EQ in several sound cycle
- 7.Upward play button key
- 8.Down the play button key
- 9.Pause/play key
- 10.Volume reduce key
- 11.Volume add key
- 12.Repertoire straight constituency

MADE IN CHINA